THE NORIAL MEDICAL CENTER

Republic of the Philippines Department of Health

JOSE R. REYES MEMORIAL MEDICAL CENTER

HOSPITAL BIDS AND AWARDS COMMITTEE RIZAL AVE., STA. CRUZ, MANILA 7119491 LOC. 245

Invitation for Negotiated Procurement (Two Failed Biddings, 53.1)

PASTEURIZER

1. In view of two (2) failed biddings, the Jose R. Reyes Memorial Medical Center, through its Hospital Bids and Awards Committee (HBAC) invites interested bidder to participate in the negotiation for the following item/s in accordance with Section 53.1 Two Failed Bidding as specified in Revised Implementing Rules and Regulations (IRR) of Republic Act 21.04 (RA 01.84 otherwise known as "Government Procurement Reform Act."

	9184 (RA 9184, otherwise known as "Government Procurement Reform Act."							
Item No.	Description	Qty	Unit	Unit Price	Total ABC	Delivered, weeks/ month		
1	PASTEURIZER	1	UNIT	4,200,000.00	4,200,000.00	45 Calenda		
	BRANDED, BRAND NEW					r Days		
	Construction: Stainless steel							
	Dimensions: As per manufacturer's specification							
	Chamber: As per manufacturer's specification							
	Weight: As per manufacturer's specification							
	Capacity: At least thirty-six (36) 130ml/250ml bottles							
	Water Consumption: not more than 150 liters							
	Accurate Filling:As per manufacturer's specification							
	•Default Setting: 62.5°C - 63°C for 30 minutes							
	• Pasteurizing Temperature: 50°C - 70°C, operator adjustable							
	Pasteurizing Time:20-60 minutes							
	Water Bath Uniformity: +/-1°C or better							

SON MENORIAL MEDICAL CENTERS OF MENORIAL ME

Republic of the Philippines Department of Health

JOSE R. REYES MEMORIAL MEDICAL CENTER

HOSPITAL BIDS AND AWARDS COMMITTEE RIZAL AVE., STA. CRUZ, MANILA 7119491 LOC. 245

Milk Uniformity: +/-1°C or better						
eat Output During Cooling: Not ore than 3 kWh or an equivalent oling system						
Power Requirement: 220v-240v,						
Rapid Cooling or an equivalent oling system						
Final Milk Temperature: 4°C, Rapid frigerated cooling; built in; icroprocessor controlled (if oplicable)						
Display: LCD touchscreen with etailed visual of activity						
Audio And Visual Alarm Functions: omplete pasteurization cycle, fault ratus or malfunction						
Electronic Data of Proof of reatment, Final Results, Proof of reatment Milk Temperature reatment Details (Pasteurization ycle): Transferrable to computer nd printable or its equivalent						
Operation: Fully automatic With self-decontamination						
With appropriate water pump and water tank if necessary.						
With applicable AVR for the nachine						
With inclusion of LAPTOP						
	eat Output During Cooling: Not one than 3 kWh or an equivalent oling system Power Requirement: 220v-240v, Hz Rapid Cooling or an equivalent oling system inal Milk Temperature: 4°C, Rapid frigerated cooling; built in; croprocessor controlled (if plicable) insplay: LCD touchscreen with obtailed visual of activity audio And Visual Alarm Functions: complete pasteurization cycle, fault atus or malfunction Electronic Data of Proof of reatment, Final Results, Proof of reatment Milk Temperature reatment Details (Pasteurization cycle): Transferrable to computer and printable or its equivalent Operation: Fully automatic With self-decontamination apacity With water filtration system With appropriate water pump and water tank if necessary. With applicable AVR for the machine	eat Output During Cooling: Not one than 3 kWh or an equivalent oling system Power Requirement: 220v-240v, Hz Rapid Cooling or an equivalent oling system inal Milk Temperature: 4°C, Rapid frigerated cooling; built in; croprocessor controlled (if plicable) bisplay: LCD touchscreen with stailed visual of activity audio And Visual Alarm Functions: omplete pasteurization cycle, fault atus or malfunction Electronic Data of Proof of reatment, Final Results, Proof of reatment Milk Temperature reatment Details (Pasteurization cycle): Transferrable to computer and printable or its equivalent Operation: Fully automatic With self-decontamination apacity With water filtration system With appropriate water pump and water tank if necessary. With applicable AVR for the machine	eat Output During Cooling: Not we than 3 kWh or an equivalent oling system Power Requirement: 220v-240v, Hz Rapid Cooling or an equivalent oling system inal Milk Temperature: 4°C, Rapid frigerated cooling; built in; croprocessor controlled (if plicable) visplay: LCD touchscreen with tailed visual of activity audio And Visual Alarm Functions: omplete pasteurization cycle, fault atus or malfunction Electronic Data of Proof of reatment, Final Results, Proof of reatment Milk Temperature reatment Details (Pasteurization cycle): Transferrable to computer and printable or its equivalent Operation: Fully automatic With self-decontamination apacity With water filtration system With appropriate water pump and water tank if necessary. With applicable AVR for the machine	eat Output During Cooling: Not fre than 3 kWh or an equivalent bling system Power Requirement: 220v-240v, Hz Rapid Cooling or an equivalent bling system inal Milk Temperature: 4°C, Rapid frigerated cooling; built in; croprocessor controlled (if plicable) bisplay: LCD touchscreen with ttailed visual of activity audio And Visual Alarm Functions: bomplete pasteurization cycle, fault atus or malfunction Electronic Data of Proof of reatment, Final Results, Proof of reatment Milk Temperature reatment Details (Pasteurization cycle): Transferrable to computer and printable or its equivalent Operation: Fully automatic With self-decontamination apacity With water filtration system With appropriate water pump and water tank if necessary. With applicable AVR for the matchine	eat Output During Cooling: Not are than 3 kWh or an equivalent oling system Power Requirement: 220v-240v, Hz Rapid Cooling or an equivalent oling system inal Milk Temperature: 4°C, Rapid frigerated cooling; built in; croprocessor controlled (if plicable) insplay: LCD touchscreen with tailed visual of activity audio And Visual Alarm Functions: omplete pasteurization cycle, fault atus or malfunction Electronic Data of Proof of reatment, Final Results, Proof of reatment Milk Temperature reatment Details (Pasteurization cycle): Transferrable to computer and printable or its equivalent Operation: Fully automatic With self-decontamination apacity With water filtration system With appropriate water pump and water tank if necessary. With applicable AVR for the machine	eat Output During Cooling: Not re than 3 kWh or an equivalent oling system Power Requirement: 220v-240v, Hz Rapid Cooling or an equivalent oling system inal Milk Temperature: 4°C, Rapid frigerated cooling; built in; croprocessor controlled (if plicable) insplay: LCD touchscreen with tailed visual of activity audio And Visual Alarm Functions: omplete pasteurization cycle, fault atus or malfunction Electronic Data of Proof of reatment, Final Results, Proof of reatment Milk Temperature reatment Details (Pasteurization cycle): Transferrable to computer and printable or its equivalent Operation: Fully automatic With self-decontamination apacity With water filtration system With appropriate water pump and water tank if necessary. With applicable AVR for the machine



Republic of the Philippines Department of Health

JOSE R. REYES MEMORIAL MEDICAL CENTER

HOSPITAL BIDS AND AWARDS COMMITTEE
RIZAL AVE., STA. CRUZ, MANILA
7119491 LOC. 245

All mars			
Accessories/Inclusions:			
- Pasteurizer basket (multiple, for different bottle size)			
- at least 36 with cover Reusable milk pasteurization bottle per size (130ml, 250ml)			
"• 100 Pieces of 130ml bottle with cap			
• 100 Pieces of 250ml bottle with cap"			
Standard Requirements:			
➤ Current and Valid Certificate of Manufacturer's compliance with ISO Certified or its equivalent.			
➤ Current and Valid Certificate of Authorized Distributorship (if not the Manufacturer) and Notarized Certification as Local Distributor			
➤ Bidder's certificate that the BRAND must be in the Philippines since 2017			
➤ User's Manual in English Language			
➤ Service Manual (2 copies)			
➤ Latest Certificate of Traceability from the Manufacturer			
➤ Proposed Costing of Preventive Maintenance and Calibration Program for sophisticated equipment,			
consumables/ accessories. ➤ Printing and Etching of DOH official logo/ letters (if possible "JRRMMC" in all equipment) or sticker in conspicuous / visible space			



SON THE NORIAL MEDICAL CENTER

Republic of the Philippines Department of Health

JOSE R. REYES MEMORIAL MEDICAL CENTER

HOSPITAL BIDS AND AWARDS COMMITTEE RIZAL AVE., STA. CRUZ, MANILA 7119491 LOC. 245

 ca, philit			
of the equipment but will not affect its function.			
➤ License to Operate			
➤ Tax Receipts (including the Bill of Lading/Airway Bill) upon delivery			
I. Training Requirements			
➤ Comprehensive Technical			
-Training at least two (2) from end- users and one (1) from engineering (Note: Training Certificate must be given right after the Training)			
II. After Sales Service			
➤ Bidder's certificate that parts shall be available at the authorized Philippine service center/s for a period of five (5) years after the warranty period.			
III. Warranty Certificate			
➤ Minimum of Two (2) years on parts and service. Warranty Certificate for parts and service, upon delivery, inspection and acceptance			
IV. Preventive Maintenance and Calibration			
➤ Free Quarterly preventive Maintenance and Calibration within the warranty period			
Upon inspection and receipt of the equipment, the supplier shall sign a Notarized Certificate of Undertaking with the following provisions/agreements:			
a. Eligible to submit all the necessary documentary requirement/s			

SO MENORIAL MEDICAL CENTERS OF MENORIAL MENORIAL MEDICAL CENTERS OF MENORIAL MENORI

Republic of the Philippines Department of Health

JOSE R. REYES MEMORIAL MEDICAL CENTER

HOSPITAL BIDS AND AWARDS COMMITTEE RIZAL AVE., STA. CRUZ, MANILA 7119491 LOC. 245

b. Aware to submit and comply with the documentary requirement/s within two (2) weeks upon delivery	
c. Allow to use the equipment by the end-user and the institution is not at fault in case the supplier will not be paid due to difficulty in documents at fault by the supplier	
d. It will not be paid unless the necessary documentary requirements will be completely submitted.	

For more details on this project, please refer to attached Schedule of Requirements (Annex A) and Technical Specifications (Annex B).

 The following eligibility and technical documents as well as the Financial Proposal Form (Annex C) shall be submitted on the date to be agreed on the *Pre-Negotiation Meeting on* 01 December 2022, 2:00pm at the Central Block Conference Room, 2nd Floor, Central Block Bldg., JRRMMC, Rizal Avenue, Sta. Cruz, Manila:

2. First Envelope:

- a) Certification of PhilGEPS Registration (Platinum);
- b) Securities & Exchange Commission (SEC)/ Department of Trade and Industry (DTI) Registration Certificate;
- c) Mayor's Permit
- d) Tax Clearance
- e) BIR Registration Certificate
- f) List of projects for CY 2021-2022;
 - Statement of all its ongoing government and private contract
 - Statement of single largest completed contract (with attachment)
- g) Bid Security in any of the following forms:
 - (i) 2% of the ABC, if cash or cashier's/ manager's check, bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank;
 - (ii) 5% of the ABC, if surety bond with certification from Issuance Commission that such insurance company is authorized to issue such security;
 - (iii) Any combination of the foregoing; and
 - (iv) Bid Securing Declaration.
- h) Compliance with the Schedule of Requirements (Annex A) and Technical Specifications (Annex B);



Republic of the Philippines Department of Health

JOSE R. REYES MEMORIAL MEDICAL CENTER

HOSPITAL BIDS AND AWARDS COMMITTEE RIZAL AVE., STA. CRUZ, MANILA 7119491 LOC. 245

- Omnibus Sworn Statement (Revised);
- Authority of the Signatory;
- k) Annual Income Tax Return
- **Financial Statement**
- m) NFCC Computation
- n) License to Operate
- 3. Second Envelope-Financial Component (Shall be opened only if the bidder is declared "ELIGIBLE")
- a) The financial component of the bid shall contain the total bid amount for the item quoted in words as well as in figures
- b) Bid Price shall include the cost of all taxes, such as, but not limited to, Value Added Tax (VAT), income tax, local taxes, and other fiscal levies and duties
- 4. JRRMMC reserves the right to accept or reject any offer, to annul the negotiation process, and reject all offers at any time prior to contract award, without thereby incurring any liability to the affected bidder or bidders.

For further information, please refer to:

MS. MAURIELE F. DASMARIÑAS

BAC Secretariat, BAC Office Ground Fl., San Lazaro Compound Rizal Avenue, Santa Cruz, Manila Telephone No. 711-9491 local 245

E-mail: irrmmc bacsec@yahoo.com

This entry was posted in PhilGEPS and JRRMMC website

EMELITO O. VALDEZ-TAN, MD

Chairman, HBAC-A2

