

**JOSE R. REYES MEMORIAL MEDICAL CENTER**

Rizal Avenue, Sta. Cruz, Manila


BAC SECRETARIAT**SEALED BID**SEALED BID NO.: HBAC-A-2021-04-584

DATE: _____

Gentlemen:

Please quote your price for item/s indicated below. Price quoted is final, and without condition and inclusive of all taxes. Bid Proposal should be submitted in sealed envelope, properly labelled, indicating the date and Sealed Bid No., not later than **8:30 am** on _____ at the BAC Secretariat Office and thereafter publicly opened. Any change/erasure must be duly initialed otherwise, the bid shall be disqualified. Attendance of authorized representative is not mandatory on bid opening. In accordance with Section 53.2 of the Revised Implementing Rules and Regulation of the Republic Act 9184.

THE COMMITTEE RESERVES THE RIGHT TO REJECT ANY AND ALL BIDS, DECLARE A FAILURE OF BIDDING AT ANY TIME PRIOR TO THE CONTRACT AWARD, OR NOT TO AWARD THE CONTRACT, WITHOUT THEREBY INCURRING ANY LIABILITY, AND MAKE NO ASSURANCE THAT A CONTRACT SHALL BE ENTERED INTO AS A RESULT OF THE BIDDING.


MELITO ANTONIO RAMOS, M.D.
Chairman, HBAC-A

PR No.: **2021-03-1263 (Nursing QI)**

Qty.	Unit	Description/Particulars	ABC	Unit Price	Total Price
90	piece	BP Apparatus, Adult , with removable gauge from durable cuff and can be snaps directly into duff with 360° rotation. With high quality air release valve for easy inflation. Cuff is reusable. Light weight and latex free. With stethoscope. With calibration sticker. With warranty, preventive and calibration maintenance	5,000.00		
5	unit	Cart. Medical Chart Divider Trolley , with 20 shelves	10,000.00		
30	piece	Digital Thermometer Infrared, non-contact gun type	1,500.00		
18	unit	Gooseneck Lamp droplight with mesh cover, stainless steel body. Adjustable; atleast with 165cm length of cord 220V	3,000.00		
75	piece	IV Stand with 4 hooks, stainless, well balanced, stable base with 5 easy rolling caster wheels with lock. Adjustable height making at least 7ft. With well secured knob for height adjustment	4,000.00		
5	piece	Mortar and pestle, marble medium size	600.00		
15	piece	Oxygen, Flask Type Cylinder 10lbs	4,000.00		
100	piece	Pulse Oximeter , portable, finger probe, battery operated. SpO2 and PR display, PR waveform and bargraph display. Automatically power off	1,500.00		
10	piece	Resuscitator Manual Adult with oxygen reservoir bag, standard size tubing with clear face mask, autoclaveable.	4,000.00		

*Indicate Brand, model and country of origin if applicable***Please check Mode of Payment:**☐ 1. Terms/Deferred Payment

Name of Company _____

Address/TIN No. _____

☐ 2. Cheque upon Delivery (COD)

(No Clearing time before delivery;
Issuance of a check for payment upon
complete delivery and documentary
requirements)

Authorized signature over printed name _____



JOSE R. REYES MEMORIAL MEDICAL CENTER

Rizal Avenue, Sta. Cruz, Manila

BAC SECRETARIAT

SEALED BID

***NOTE: Signing for these request for quotation, is conforming to our payment terms you check
MAXIMUM DELIVER PERIOD; WITHIN 7 WORKING DAYS UPON RECEIPT OF PURCHASE ORDER
HOSPITAL BIDS AND AWARDS COMMITTEE FOR SUPPLIES, MATERIALS & EQUIPMENT***

Chairperson

Vice-Chairperson

Member

Member

Member

Inspector/Internal Audit

COA Representative

Provisional End-User/Member

Handwritten signature and initials.

**JOSE R. REYES MEMORIAL MEDICAL CENTER**

Rizal Avenue, Sta. Cruz, Manila


BAC SECRETARIAT**SEALED BID**SEALED BID NO.: HBAC-A-2021-04-585

DATE: _____

Gentlemen:

Please quote your price for item/s indicated below. Price quoted is final, and without condition and inclusive of all taxes. Bid Proposal should be submitted in sealed envelope, properly labelled, indicating the date and Sealed Bid No., not later than **8:30 am** on _____ at the BAC Secretariat Office and thereafter publicly opened. Any change/erasure must be duly initialed otherwise, the bid shall be disqualified. Attendance of authorized representative is not mandatory on bid opening. In accordance with Section 53.2 of the Revised Implementing Rules and Regulation of the Republic Act 9184.

THE COMMITTEE RESERVES THE RIGHT TO REJECT ANY AND ALL BIDS, DECLARE A FAILURE OF BIDDING AT ANY TIME PRIOR TO THE CONTRACT AWARD, OR NOT TO AWARD THE CONTRACT, WITHOUT THEREBY INCURRING ANY LIABILITY, AND MAKE NO ASSURANCE THAT A CONTRACT SHALL BE ENTERED INTO AS A RESULT OF THE BIDDING.


MELITO ANTONIO RAMOS, M.D.
Chairman, HBAC-A

PR No.: **2021-03-1359 (IM-Pulmonary Unit)**

Qty.	Unit	Description/Particulars	ABC	Unit Price	Total Price
4	set	Oxygen high flow meter with flow range up to 70 LPM with oxygen dual gauge compatible to existing high flow machine and oxygen tank /cylinder	30,000.00		
2	set	Oxygen flow meter with flow range of at least 50 LPM, oxygen hose and clamp compatible to existing machine	15,000.00		
10	set	Oxygen dual gauge with Oxygen hose with at least 2 meters, compatible to mechanical ventilator and high flow oxygen machines	12,000.00		

*Indicate Brand, model and country of origin if applicable***Please check Mode of Payment:**☐ 1. Terms/Deferred Payment

Name of Company

☐ 2. Cheque upon Delivery (COD)

(No Clearing time before delivery;
Issuance of a check for payment upon
complete delivery and documentary
requirements)

Address/TIN No.

Authorized signature over printed name

**NOTE: Signing for these request for quotation, is conforming to our payment terms you check
MAXIMUM DELIVER PERIOD; WITHIN 7 WORKING DAYS UPON RECEIPT OF PURCHASE ORDER
HOSPITAL BIDS AND AWARDS COMMITTEE FOR SUPPLIES, MATERIALS & EQUIPMENT**

Chairperson

Vice-Chairperson

Member

Member

Member

Inspector/Internal Audit

COA Representative

Provisional End-User/Member

**JOSE R. REYES MEMORIAL MEDICAL CENTER**

Rizal Avenue, Sta. Cruz, Manila


BAC SECRETARIAT**SEALED BID**SEALED BID NO.: HBAC-A-2021-04-586

DATE: _____

Gentlemen:

Please quote your price for item/s indicated below. Price quoted is final, and without condition and inclusive of all taxes. Bid Proposal should be submitted in sealed envelope, properly labelled, indicating the date and Sealed Bid No., not later than **8:30 am** on _____ at the BAC Secretariat Office and thereafter publicly opened. Any change/erasure must be duly initialed otherwise, the bid shall be disqualified. Attendance of authorized representative is not mandatory on bid opening. In accordance with Section 53.2 of the Revised Implementing Rules and Regulation of the Republic Act 9184.

THE COMMITTEE RESERVES THE RIGHT TO REJECT ANY AND ALL BIDS, DECLARE A FAILURE OF BIDDING AT ANY TIME PRIOR TO THE CONTRACT AWARD, OR NOT TO AWARD THE CONTRACT, WITHOUT THEREBY INCURRING ANY LIABILITY, AND MAKE NO ASSURANCE THAT A CONTRACT SHALL BE ENTERED INTO AS A RESULT OF THE BIDDING.


MELITO ANTONIO RAMOS, M.D.
Chairman, HBAC-A

PR No.: **2021-03-1358 (IM-Pulmonary Unit)**

Qty.	Unit	Description/Particulars	ABC	Unit Price	Total Price
30	kit/pack	Tube and chamber kit with included single heated circuit, elbow and chamber compatible to existing high flow oxygen machine; for Adult use	6,500.00		
10	kit/pack	Tube and chamber kit with included single heated circuit, elbow and chamber compatible to existing high flow oxygen machine - for Pediatric use	6,600.00		
20	piece	High flow single patient cannula, single use only, compatible to existing high flow oxygen machine; size: Small	2,000.00		
60	piece	High flow single patient cannula, single use only, compatible to existing high flow oxygen machine; size: Medium	2,000.00		
10	piece	High flow single patient cannula, single use only, compatible to existing high flow oxygen machine; size: Pediatric	4,100.00		
10	piece	High flow single patient cannula, single use only, compatible to existing high flow oxygen machine; size: Infant	4,100.00		
10	piece	High flow single patient with tracheostomy, single use only, compatible to existing high flow oxygen machine	2,100.00		
100	bottle/ bag	Sterile water, injection type, single use only, at least 500 mL to 1 Liter	175.00		
30	pack	Air Filter compatible to existing high flow oxygen machine	4,200.00		

Indicate Brand, model and country of origin if applicable**Please check Mode of Payment:**☐ 1. Terms/Deferred Payment_____
Name of Company☐ 2. Cheque upon Delivery (COD)*(No Clearing time before delivery;
Issuance of a check for payment upon
complete delivery and documentary
requirements)*_____
Address/TIN No._____
Authorized signature over printed name



JOSE R. REYES MEMORIAL MEDICAL CENTER

Rizal Avenue, Sta. Cruz, Manila

BAC SECRETARIAT

SEALED BID

**NOTE: Signing for these request for quotation, is conforming to our payment terms you check
MAXIMUM DELIVER PERIOD; WITHIN 7 WORKING DAYS UPON RECEIPT OF PURCHASE ORDER
HOSPITAL BIDS AND AWARDS COMMITTEE FOR SUPPLIES, MATERIALS & EQUIPMENT**

Chairperson	_____
Vice-Chairperson	_____
Member	_____
Member	_____
Member	_____
Inspector/Internal Audit	_____
COA Representative	_____
Provisional End-User/Member	_____

 /14/19



JOSE R. REYES MEMORIAL MEDICAL CENTER

Rizal Avenue, Sta. Cruz, Manila

BAC SECRETARIAT

SEALED BID

SEALED BID NO.: HBAC-A-2021-04-583

DATE: _____

Gentlemen:

Please quote your price for item/s indicated below. Price quoted is final, and without condition and inclusive of all taxes. Bid Proposal should be submitted in sealed envelope, properly labelled, indicating the date and Sealed Bid No., not later than **8:30 am** on _____ at the BAC Secretariat Office and thereafter publicly opened. Any change/erasure must be duly initialed otherwise, the bid shall be disqualified. Attendance of authorized representative is not mandatory on bid opening. In accordance with Section 53.2 of the Revised Implementing Rules and Regulation of the Republic Act 9184.

THE COMMITTEE RESERVES THE RIGHT TO REJECT ANY AND ALL BIDS, DECLARE A FAILURE OF BIDDING AT ANY TIME PRIOR TO THE CONTRACT AWARD, OR NOT TO AWARD THE CONTRACT, WITHOUT THEREBY INCURRING ANY LIABILITY, AND MAKE NO ASSURANCE THAT A CONTRACT SHALL BE ENTERED INTO AS A RESULT OF THE BIDDING.

MELITO ANTONIO RAMOS, M.D.

Chairman, HBAC-A

PR No.: **2021-03-1263 (Nursing QI)**

Qty.	Unit	Description/Particulars	ABC	Unit Price	Total Price
50	piece	Basin, Kidney (emesis basin) stainless, steel, autoclavable, approximately 8.1"L x 3.6"W x 1.6" Depth	1,400.00		
10	piece	Forcep, kelly hemostatic curved 140mm; composed of high quality stainless steel non corrosive; magnetic free	500.00		
10	piece	Forcep, kelly hemostatic straight 140mm; composed of high quality stainless steel non corrosive; magnetic free	500.00		
10	piece	Forcep, Tissue with teeth serr 1x2, 15mm; composed of high quality stainless steel non corrosive; magnetic free	500.00		
10	piece	Scissor, Bandage composed of high quality stainless steel non corrosive, medium size	500.00		
10	piece	Knife Handle #5 composed of high quality stainless steel non corrosive	500.00		
10	piece	Scissor, mayo, straight composed of high quality stainless steel non corrosive	1,000.00		
10	piece	Needle Holder composed of high quality stainless steel non corrosive	3,000.00		

Indicate Brand, model and country of origin if applicable

Please check Mode of Payment:

 1. Terms/Deferred Payment

Name of Company

Address/TIN No.

 2. Cheque upon Delivery (COD)

(No Clearing time before delivery;
Issuance of a check for payment upon
complete delivery and documentary
requirements)

Authorized signature over printed name

**NOTE: Signing for these request for quotation, is conforming to our payment terms you check
MAXIMUM DELIVER PERIOD; WITHIN 7 WORKING DAYS UPON RECEIPT OF PURCHASE ORDER
HOSPITAL BIDS AND AWARDS COMMITTEE FOR SUPPLIES, MATERIALS & EQUIPMENT**

Chairperson

Vice-Chairperson

Member

Member

Member

Inspector/Internal Audit

COA Representative

Provisional End-User/Member

[Signature]
February 2, 2015